

**SAFETY DATA SHEET**

Compilation date:

compiled according to Regulation (EC) No. 453/2010

30/06/16

Revision [CLP]:

1\*

**1. Identification of the Substance/Preparation and of the Company/Undertaking****1.1. Product identifier**

Product form:

Mixture

**Trade name:****Sterilising Fluid**

Product group:

Trade product

Product code:

**PP/SF/5****1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category:

Professional use

Function or use category:

Washing and cleaning products (including solvent based products).  
Disinfectant fluid for use in hospitals and the professional kitchen.**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Company Name:****Platinum Professional (SW) Ltd.  
Unit 3, Anchor Buildings,  
5 Battle Road,  
Heathfield Ind. Est.,  
Newton Abbott, Devon  
TQ12 6RY  
Tel: 01626 834560****2. Hazards Identification****2.1 Classification of the substance or mixture****2.1.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Eye Irrit. 1: H319

**2.2 Label Elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard Pictograms (CLP)



Signal word (CLP):

Warning

Hazard Statements (CLP):

H319: Causes serious eye irritation

Precautionary Statements (CLP):

P102 - Keep out of reach of children  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Supplementary precautionary statements (CLP):

P264 Wash contaminated skin thoroughly after handling.  
P273 Avoid release to the environment.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.  
P501 - Dispose of contents/container to an appropriate local waste system



EUH031: Contact with acids liberates toxic gas

The full texts for all H- and EUH-phrases are displayed in Section 16 'Other Information'.

### 2.3 Other Hazards

See also section 10

No presence of PBT and vPvB ingredients.

### 3. Composition/information on ingredients:

Common Name	CAS No./ EC No.	Classification According to (EC) 1272/2008 (CLP)	Conc (%)
SODIUM HYPOCHLORITE	7681-52-9 231-668-3	Skin Corr. 1B, H314 Eye Dam. 1, H318 Met. Corr. 1, H290 Aquatic Acute 1, H400	1 - 5

The full texts for all H- and EUH-phrases are displayed in Section 16 'Other Information'.

### 4. First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation:	IF INHALED: Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
First-aid measures after skin contact:	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention immediately.
First-aid measures after eye contact:	IF IN EYES: Rinse cautiously with water for at least 10 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist immediately if the symptoms persist.
First-aid measures after ingestion:	IF SWALLOWED: rinse mouth. Drink plenty of water. Do NOT induce vomiting. If symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation:	No significant symptoms.
Symptoms/injuries after skin contact:	May cause irritation/ redness to skin.
Symptoms/injuries after eye contact:	May cause eye irritation, burning and tearing.
Symptoms/injuries after ingestion:	May cause irritation to the mouth and throat.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### 5. Fire fighting measures

**Extinguishing media:** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

**Special hazards:** Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours. Chlorine. Oxides of: Chlorine. Hydrogen chloride (HCl).

**Special protective equipment:** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions:

Product may cause irritation. Wear personal protection, see Section 8

Evacuate personnel to safe areas. Keep out unprotected personnel. Keep unauthorised personnel away

#### Environmental precautions:

Observe regulations on prevention of water pollution. Dam with sand or earth or appropriate bunding.

Do not permit to enter into surface water, stretches of water or soil undiluted.



Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### Methods and material for containment and clean-up:

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

### Additional advice:

See Section 8.

## 7. Handling and storage

### Precautions for safe handling:

Handle in accordance with good industrial hygiene and safety practices.

It is advisable to wear eye protection. Wear gloves during prolonged use. For personal protection see section 8.

### Storage precautions:

Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials, and acidic materials, and other cleaning chemicals.

Advice on common storage

Do not store together with: oxidising substances

Do not store together with: acidic substances

## 8. Exposure controls / personal protection

### 8.1. Control parameters

#### SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE (CAS: 7681-52-9)

#### Ingredient comments

In case of Chlorine emission, the WEL for Chlorine should be observed: Short Term Exposure Limit (STEL) 1 ppm / 2.9 mg/m<sup>3</sup>. Long Term Exposure Limit (LTEL) 0.5 ppm / 1.5 mg/m<sup>3</sup>.

DNEL Industry - Inhalation; Long term local effects:	1.55 mg/m <sup>3</sup>
Industry - Inhalation; Long term systemic effects:	1.55 mg/m <sup>3</sup>
Industry - Inhalation; Short term local effects:	3.1 mg/m <sup>3</sup>
Industry - Inhalation; Short term systemic effects:	3.1 mg/m <sup>3</sup>
Consumer - Inhalation; Long term local effects:	1.55 mg/m <sup>3</sup>
Consumer - Inhalation; Long term systemic effects:	1.55 mg/m <sup>3</sup>
Consumer - Inhalation; Short term local effects:	3.1 mg/m <sup>3</sup>
Consumer - Inhalation; Short term systemic effects:	3.1 mg/m <sup>3</sup>
Consumer - Oral; Long term systemic effects:	0.26 mg/kg/day
PNEC	
- Fresh water;	0.00021 mg/l
- Marine water;	0.00042 mg/l
- Intermittent release;	0.00026 mg/l
- STP;	0.03 mg/l

### 8.2. Exposure controls

**Engineering measures:** It is advisable to provide for installation of emergency shower and eye bath. Provide adequate ventilation.

**Respiratory protection:** It is not likely that exposure limits will be exceeded. If workplace exposure limit is exceeded apply Respiratory protective equipment.

**Hand protection:** Wear suitable gloves during prolonged use. PVC or rubber gloves are recommended.

**Eye protection:** Wear approved safety goggles/ glasses or face shield.

**Hygiene Measures:** Wear protective clothing, against splashing and contamination, during prolonged use.

**Hygiene Measures:** Do not inhale vapour, aerosols, mist. Avoid contact with skin, eyes and clothing. Ensure there is good room ventilation. No eating, drinking, smoking or snuffing tobacco at work. Wash face and/or hands before breaks and end of work. Use preventative skin protection. Avoid contaminating clothes with product. Immediately change moistened and saturated work clothing. Any contaminated protective equipment to be cleaned after use.

**Protective Measures:** Handle in accordance with good industrial hygiene and safety practices. It is advisable to wear suitable protective clothing, gloves and eye/face protection.

## 9. Physical and chemical properties



Appearance	Thin Liquid.
Colour	Clear to Pale Yellow / Straw
Odour	Chlorine
pH	11-12
Melting point	Data not available
Initial boiling point and range	est. 100°C @ 760 mm Hg
Flash point	Boils without flashing.
Relative density	1.07 @ 20°C
Solubility	Soluble in water.

### 9.2 Further information

Miscibility in water:	Completely miscible
Other information:	Corrosive, alkaline agent

## 10. Stability and reactivity

### 10.1 Reactivity

Reactions with the following materials may generate heat: Strong acids, ammonium compounds and Oxidising agents.

### 10.2 Chemical stability

Decomposes over time. Factors that increase the rate of decomposition: increase in temperature, certain metallic impurities, high initial concentration, fall in pH below 11 and exposure to light.

### 10.3 Possibility of hazardous reactions

Contact with acids liberates toxic gas. Chlorine. See Sections 10.1, 10.2 and 10.5

### 10.4 Conditions to avoid

Strong Heat.

### 10.5 Incompatible materials

Strong acids and Oxidising agents. Ammonium compounds. Organic materials. Metals, particularly copper, nickel and iron. Do not mix with other cleaning products unless advised to do so by a professional from the industry.

### 10.6 Hazardous decomposition products

Decomposition products under conditions of thermal decomposition: Chlorine. Hydrogen chloride (HCl). Oxides of the following substances: Chlorine.

## 11. Toxicological information

### 11.1 Information on toxicological effects

#### Toxicity:

Data for sodium hypochlorite solution 15% shows low acute oral toxicity: LC50(rat, oral) 1100 mg/kg (as available chlorine). Low acute inhalation toxicity. LC50 (rat, 1hr) >10500mg/m<sup>3</sup> (as available chlorine). Very low acute dermal toxicity. LC50 (rat, dermal) >2000 mg/kg (as available chlorine).

#### Skin Corrosion/Irritation:

May cause skin irritation.

#### Serious eye damage/eye irritation:

Causes eye irritation. Redness and possibly visual disturbances including blurred vision.

#### Sensitisation:

Not known to be sensitising.

#### Repeated Dose Toxicity:

Not data available.

**Assessment of STOT single exposure:** No data available

**Assessment of STOT repeated exposure:** No data available

**Risk of Aspiration Toxicity:** No data available

## 12. Ecological information

### Ecotoxicity

The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

#### 12.1. Toxicity

Not considered toxic to fish.

#### Acute toxicity - aquatic invertebrates

Reference: AISE report "Environmental classification of sodium hypochlorite containing bleach products", 9 September 2009.



EC<sub>50</sub>, 48 hours: > 1 mg/l mg/l, Daphnia magna

### Ecological information on ingredients.

#### SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE

##### Acute aquatic toxicity

LE(C)<sub>50</sub>

0.01 < L(E)C50 ≤ 0.1 0.01 < L(E)C50 ≤ 0.1

M factor (Acute) 10

##### Chronic aquatic toxicity

NOEC 0.01 < NOEC ≤ 0.1

#### 12.2. Persistence and degradability

##### Persistence and degradability

This product, at use dilutions, is readily broken down in biological effluent treatment plants.

#### 12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

#### 12.4. Mobility in soil

##### Mobility

Not known.

#### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Not known.

### 13. Disposal considerations

#### 13.1 Waste treatment methods

**Product:** Disposal in accordance to local authority regulations. In the case of recycling/disposal contact the relevant authorities.

Offer surplus and non-recyclable solutions to a licensed disposal company.

With small amounts: May be disposed of as sewage water in accordance with local regulations by previously diluting with plenty of water.

**Uncleaned Packaging:** Rinse empty containers before disposal; recommended cleaning agent; water.

Offer rinsed packaging material to local recycling facilities. Do not use empty containers and dispose of in accordance with the regulations issued by the appropriate local authorities. Dispose of containers that have not been emptied completely and/or cleaned, in the same manner as the substance.

### 14. Transport information

#### Land Transport ADR/RID/GGVSEB (Germany)

ADR/RID – Labels	None
Class	N/A
UN No.	N/A
Packaging group	N/A
Tunnel Restriction Code (ADR)	N/A
Description of the goods (technical name)	N/A

#### Sea Transport IMDG-Code/GGVSee (Germany)

Class	None
Subsidiary risk	
UN No.	N/A
EmS	N/A
Packaging group	N/A
Proper technical name (proper shipping name)	N/A

### 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions. Contains no substance on the REACH candidate list



Where applicable, the surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### 16. Other information

Usage and handling instructions are not mentioned on this Material Safety Data Sheet. The labelling of the product is indicated in Section 2.2.

The full text of the H- and EUH-phrases indicated in this safety data sheet are as follows:

H290:	May be corrosive to metals.
H314:	Causes severe skin burns and eye damage.
H318:	Causes serious eye damage
H319:	Causes serious eye irritation
H400:	Very toxic to aquatic life
EUH031:	Contact with acids liberates toxic gas

The information given has been compiled with reference to the Chemicals (Hazard Information & Packaging For Supply) Regulations (CHIP4) 2009 as amended, the Registration, Evaluation, Authorisation & Restriction of Chemicals (REACH) Regulations, as amended, the Control of Substances Hazardous to Health Regulations (COSHH) 2002, as amended, and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. This information also harmonises the provisions and criteria for the classification and labelling of substances, mixtures and certain specific articles within the Community, taking into account the classification criteria and labelling rules of the GHS.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.